

EXCURSION

HIGH SURFACTANT LOAD CROP OIL CONCENTRATE

PRINCIPAL FUNCTIONING AGENTS

| Paraffinic oil | 55.4% |
|--|---------------|
| POE sorbitan fatty acid ester, alcohol ethoxylate | 36.6% |
| Constituents ineffective as spray adjuvants | 8.0% |
| Total | 100.0% |
| All ingredients are exempt from the requirements of a tolerance as specified | in 40 CFR 180 |

FIRST AID
Always call a poison control center or doctor for treatment advice.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not give any liquid to the person. Do not give liquids by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth,

If In Eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. If eye irritation persists, get medical advice/attention.

If On Skin or Clothing: Take off contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 30 minutes. If skin imitation occurs, get medical advice/attention.

GENERAL INFORMATION

Excursion is a nonionic blend of surfactants and highly refined phytobland paraffin oil. It is designed for use with a broad range of pesticides where an oil concentrate adjuvant is recommended.

Excursion increases contact activity and penetration of the spray while also providing uniform coverage on leaf surfaces. Always follow herbicide label recommendations.

MIXING INSTRUCTIONS
To prepare for pesticide application, fill spray tank 2/3 full with water and begin agaltation. Add pesticide or fertilizer as recommended and then add Excursion while continuing agitation. Continue to agitate until tank is full and agitate before and during each application

ENVIRONMENTAL HAZARDS

Not for aquatic use. Do not contaminate water sources by cleaning of equipment or disposal of wastewaters.

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENTS

PRECAUTIONARY STATEMENTS

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective glovesleyeface protection. If IN EYES: Rinse continuously with water for several minutes. Renove contact lenses if present and easy to do; continue rinsing, if eye irritation persists, get medical advice/attention. IF ON SKIN: if skin irritation occurs, get medical advice/attention.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal of this product. Storage: For oplimum storage stability, store at temperatures between 40°F and 120°F. Avoid contact with eyes and skin. Do not store near oxidizing agents.

Container Disposal. Triple pressure into source interesting digitals.

Container Disposal. Triple pressure interest correctionally during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Apricultural Container Recycling Council (ARCN) operates the national recycling program. To contact your state and local ARCN recycler this www.arceycle.org. Dispose of contents/container in accordance with local/mational regulations.

IN CASE OF SPILL

ent of a major spill, fire, or other emergency, call CHEMTREC at (800) 424-9300

DO NOT ADD THIS PRODUCT AT A RATE THAT EXCEEDS 2.5% v/v OF SPRAY VOLUME.

Excursion is Manufactured for Aspect Ag, LLC **NET CONTENTS** 2.5 GALLONS

DIRECTIONS FOR USE

DIRECTIONS FOR USE.

Read directions and conditions of sale and warranty before purchasing or using this product. Use stirctly in accordance with accompanying pesticide label warmings and directions. Excursion may be applied by ground, CDA or earlal application equipment along with any other spray equipment recommended by the pesticide labels.

For Ground Applications: Excursion can be substituted for traditional cop oil spray adjuvants at significantly lower use rates. Excursion is generally recommended at a rate of 2 quarts per 100 gallons (0.5% w/y) of spray solution. For spray volumes below 12.5 gallons per act, use Excursion at 1 pint to the acre. Always follow recommendations of the pesticide label if higher rates are required.

Aerial, Low Volume, CDA: Use Excursion at 2 to 8 fluid ounces per acre or follow rate recommendations on the pesticide label if higher rates are required. Generally Excursion will provide equivalent results at one-half the use rate of traditional crop oil concentrate adjuvants.