

SDS Revision Date: 10/29/2014

SAFETY DATA SHEET

Solutions for the Land 📗 A G	SDS Revision Date: 10/29/2014		SAFETT DATA SE	<u> </u>	
SECTION 1	IDENTIFICATION				
Company Name	Aspect Ag, LLC		24 HOUR EMERGENCY NUMBER/CHEMTREC (USA) 1-800-424-9300 Poison Control Center (USA) 1-800-222-1212		
Address	2527 County Road 7				
City, State, Zipcode	Marshall, MN 56258				
Phone Numbers	1-507-401-3700 / 1-507-401-3705 (fax)				
Website	www.aspectag.com				
Product Identity	90% NIS Premium				
Reference/Item Number	AS90P02, AS90P30, AS90P265				
Intended Use	See technical data sheet.				
Application Method	See technical data sheet.				
SECTION 2	HAZARD(S) IDENTIFICATION				
SECTION 2	Using the toxicity data listed in Sections 11 and 12, the product is labele		HAZARD COMMUNICATION STANDARD (HCS) PICTO		
	[SKIN IRRITANT 2]:		(,	2.0 m(0)	
H315:	Causes skin irritation.				
	ITAL IDDITANT 201.				
Н320:	[EYE IRRITANT 2B]: Causes eye irritation.	***************************************	•		
	[Acute Tox. 5]:		WADNING		
Н303:	May be harmful if swallowed.		WARNING		
	[PREVENTION]:	L			
P264:	Wash thoroughly after handling.				
P270: P280:	Do not eat, drink or smoke when using this product.				
F 200.	Wear protective gloves/eye/face protection.				
D004-000-004-	[RESPONSE]:				
P301+330+331: P303+361+353:	If swallowed, rinse mouth. Do NOT induce vomiting.				
P305+351+338:	If on skin (or hair), remove/take-off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing.				
P337+313:	If eye irritation persists, get medical advice/attention.				
P363:	Wash contaminated clothing before reuse.				
	[STORAGE]:				
P404:	Store in a closed container.				
P235:	Keep cool.				
	[DISPOSAL]:				
P501:	Dispose of contents/container in accordance with local/national regulations.				
SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS				
	This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substance regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as confidential business information.				
	Ingredient/Chemical Designations Weight %	CAS Number	GHS Classification	Notes	
	Proprietary agricultural adjuvant blend 100	Proprietary	Skin Irrit. 2; H315 / Eye Irrit. 2B; H320 / Acute Tox. 5; H303	[1] [2]	
	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance.				
	H315: Causes skin irritation. H303: May be harmful if swallowed.				
	H320: Causes eye irritation.				

SDS for 90% NIS Premium 1 Aspect Ag LLC

SECTION 4	FIRST AID MEASURES			
	[DESCRIPTIONS]:			
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.			
Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position a obtain immediate medical attention. Give nothing by mouth.			
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.			
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.			
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.			
	[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]:			
Ingestion:	May be harmful if swallowed.			
Eyes:	Causes eye irritation.			
Skin:	Causes skin irritation.			
SECTION 5	FIRE FIGHTING MEASURES			
Extinguishing Media:	Recommended extinguishing media: alcohol resistant foam, CO ² , powder, water spray. Do not use water jet.			
Special Hazards:	Can be dangerous when exposed to extreme heat and flame. Do not breathe mist/vapors/spray.			
Advice For Firefighters:	Cool closed containers exposed to fire by spraying them with water. Do not allow run-off water and contaminants from fire-fighting to enter drains or water course			
ERG Guide No.				
SECTION 6	ACCIDENTAL RELEASE MEASURES			
ersonal Precautions, Protective Equipment and Emergency Procedures:	Remove sources of ignitions, do not turn lights, or unprotected electrical equipment, on or off. In case of a major spill, or spillage in a confined space, evacuate the area and check that solvent vapor levels are below the Lower Explosive Limit (LEL) before re-entering.			
Environmental Precautions:	Do not allow spills to enter drains or water courses.			
Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13.) Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.			
SECTION 7	HANDLING AND STORAGE			
Precautions For Safe Handling:	Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good person practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before reuse. Unless heated, sprayed or agitated, repetition should be adequate. See Section 2 for further details [PREVENTION].			
	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHE OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of			
Conditions For Safe Storage:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHE OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended.			
	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHE OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made containers, propring the propring of the propri			
Conditions For Safe Storage:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHE OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE].			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s):	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHI OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available.			
Conditions For Safe Storage: Incompatible Materials:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHI OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHI OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below:			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s):	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHI OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHIOUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable)			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASH OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made to brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist)			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASH OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made to brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist) NIOSH No established RELs			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASH OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made to brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist)			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASH OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made obrass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist) NIOSH No established RELs NIOSH No established Limit			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHIOUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made of brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation if material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist) NIOSH No established RELs NIOSH No established Limit This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP, IARC.			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data: Carcinogen Data:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASH OUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made or brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist) NIOSH No established RELs NIOSH No established Limit This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP, IARC. [EXPOSURE CONTROLS]:			
Conditions For Safe Storage: Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data: Carcinogen Data: Respiratory:	ventilation should be adequate. See Section 2 for further details [PREVENTION]. DO NOT WELD PIPES OR TANKS WHICH HAVE CONTAINED 90% NONIONIC SURFACTANT SOLUTION UNTIL THEY HAVE BEEN THOROUGHLY WASHOUT WITH WATER. Residual ammonium nitrate may explode under conditions of confinement and high temperature. Avoid containers, piping, or fittings made or brass, bronze or other copper containing alloys or galvanized metals. Do not run pumps with the discharge or suction valves closed; pump must be on circulation of material is evaporated to dryness, special hazards are involved and special fire fighting precautions and methods are recommended. Store in cool dry place. Keep containers tightly closed and upright when not in use. Keep away from heat. See Section 2 for further details [STORAGE]. Oxidizing agents. No data available. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000056-81-5 Glycerol OSHA TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) ACGIH TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist) NIOSH No established RELs NIOSH No established Limit This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP, IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.			

Other Work Practices:

No data available. Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL, and 10 mg/m3 ACGIH. See Section 2 for further details [PREVENTION].

SECTION 9	PHYSICAL AND CHEMICAL PR			
Appearance:	Clear light yellow liquid	Upper Flammability Limits:	Upper Explosive Limit: Not measured	
Odor:	Mild	Lower Flammability Limits:	Lower Explosive Limit: Not measured	
Odor Threshold:	Not measured	Vapor Pressure (Pa):	Not measured	
pH:	8.0-8.5	Vapor Density:	Heavier than air	
Melting/Freezing Points (°C):	Not measured	Solubility in Water:	Dispersible	
Initial Boiling Point/Range (°C):	No Established Limit (C) / No Established Limit (F)	Partition Co-efficient n-octanol/wate	er (Log Kow): Not measured	
Flash Point:	>94°C / >200°F Pensky Martins Closed Cup (PMCC)	Auto-Ignition Temperature (°C):	Not measured	
Evaporation Rate (Ether=1):	Not measured	Decomposition Temperature:	Not measured	
Flammability (Solid, Gas):	Not applicable	Viscosity (cSt):	Not measured	
Specific Gravity @ 20°C	Not measured	VOC%:	0	
Other Information:	DMSO extract by IP346: less than 3.0 wt % (mineral oil component only) Density, g/ml @ 25°C: 1.17-1.19			
SECTION 10	STABILITY AND REACTIVITY			
Reactivity:	Thermal decomposition by burning will produce carbon monoxide and carbon dioxide.			
Chemical Stability:	Stable under normal conditions.			
Hazardous Reactions:	Thermal decomposition by burning will produce carbon monoxide and carbon dioxide.			
Conditions To Avoid:	Oxidizing agents. Extreme heat/open flame/sparks and other sources of ignition.			
Incompatible Materials:	Oxidizing agents.			
lazardous Decomposition Prod.:	Oxides of carbon including carbon monoxide and carbon dioxide.			
SECTION 11	TOXICOLOGICAL INFORMATION	ON		
Acute Toxicity:	<u>Ingredients</u> <u>Or</u>	al LD50 mg/kg Skin LD50mg/kg	Inhalation Vapor/Dust/Mist LD50mg/L/4	
	Glycerol (56-81-5) 12,600	(Rat)/Category NA 10,000 (Rabbit)/Category NA	ND	
	Tall oil fatty acid 3,200	(Rat)/Category 5 ND	ND	
Category 5:	Item: Acute Toxicity (mouth) / Hazard: May be harmful if swallowed			
Category:	Item: Acute Toxicity (skin) / Hazard: Not applicable.			
Category:	Item: Acute Toxicity (inhalation) / Hazard: Not applicable.			
Category 2:	Item: Skin Corrosion/Irritation / Hazard: Causes skin irritation.			
Category 2B:	Item: Eye Damage/Irritation / Hazard: Causes eye irritation.			
Category:	Item: Sensitization (skin) / Hazard: Not applicable.			
Category:	Item: Germ Toxicity / Hazard: Not applicable.			
Category:	Item: Carcinogenicity / Hazard: Not applicable.			
Category:	Item: Reproductive Toxicity / Hazard: Not applicable.			
Category:	Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable.			
Category:	Item: Specific Target Organ Systemic Toxicity (repeated exposure / Hazard: Not applicable.			
Category:	Item: Aspiration Hazard / Hazard: Not applicable.			
SECTION 12	ECOLOGICAL INFORMATION			
Toxicity:	No additional information provided for this product. See Section 3 for	or chemical specific data.		
Aquatic Ecotoxicity:	This product is not expected to be toxic to the aquatic environment.			
Persistence and Degradability:	No data available.			
Bioaccumulative Potential:	Bioaccumulation is not expected to be significant.			
Mobility in Soil:	No data available.			
esults of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.			
Other Adverse Effects:	No data available.			
SECTION 13	DISPOSAL CONSIDERATIONS			
Waste Treatment Methods:	Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority whether the special waste regulations apply.			

SDS for 90% NIS Premium 3 Aspect Ag LLC

SECTION 14	TRANSPORT INFORMATION		
UN Number:	Not applicable		
UN Proper Shipping Name:	Not regulated		
Transport Hazard Class(es):	DOT (Domestic Surface Transportation):	IMO/IMDG (Ocean Transportation:	
	DOT Proper Shipping: Not regulated	IMDG Proper Shipping Name: Not regulated	
	DOT Hazard Class: Not applicable	IMDG Hazard Class: Not applicable	
	DOT Label: None	Sub Class: Not applicable	
	UN/NA Number: Not applicable	IMDG Packing Group: Not applicable	
	DOT Packing Group CERCLA/DOT RQ: 5,717 gal./47,619 lbs.		
Special Precautions For User:	Not applicable		
Transport:	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable		
Environmental Hazards IMDG:	Marine Pollutant: No		
Packing Group:	Not applicable		
SECTION 15	REGULATORY INFORMATION		
Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSC (Toxic Substance Control Act) inventory or are not required to be listed on the TSCA inventory.		
WHMIS Classification:	Not regulated		
US EPA Tier II Hazards:	Fire: No / Sudden Release of Pressure: No / Reactive: No / Immediate (acute): No / Delayed (chronic): No		
EPCRA 311/312:	Chemicals and RQs (>0.1%): Potassium hydroxide. 1,000		
EPCRA 302:	Extremely Hazardous (>0.1%): No product ingredients listed		
	Extremely mazardous (>0.1%). No product ingredients listed		
EPCRA 313	Toxic Chemicals (>0.1%): No product ingredients listed		
Proposition 65			
	Toxic Chemicals (>0.1%): No product ingredients listed		
Proposition 65	Toxic Chemicals (>0.1%): No product ingredients listed Carcinogens (>0.0%): No product ingredients listed		
Proposition 65 Proposition 65:	Toxic Chemicals (>0.1%): No product ingredients listed Carcinogens (>0.0%): No product ingredients listed Developmental Toxins (>0.0%): No product ingredients listed		
Proposition 65 Proposition 65: Proposition 65:	Toxic Chemicals (>0.1%): No product ingredients listed Carcinogens (>0.0%): No product ingredients listed Developmental Toxins (>0.0%): No product ingredients listed Female Repro Toxins (>0.0%): No product ingredients listed		
Proposition 65 Proposition 65: Proposition 65: Proposition 65:	Toxic Chemicals (>0.1%): No product ingredients listed Carcinogens (>0.0%): No product ingredients listed Developmental Toxins (>0.0%): No product ingredients listed Female Repro Toxins (>0.0%): No product ingredients listed Male Repro Toxing (>0.0%): No product ingredients listed		

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.